



**“The independent alternative”
Foam Concentrates
and Foam Systems**



fomtec
Fire Fighting Foams & Equipment

A selection of a comprehensive environmentally friendly foam from Dafo Fomtec AB

Foam type	Also available as		Benefits	Storage Tanks			Process Areas			Ware-house	Loading Areas	Class A	Aircraft Hangars			Offshore Rigs		Dike Protection		ARFF	LNG	Heli-decks	Marine	Spill
	Conc.	Freeze Protected		Foam Chambers	Sub Surface	Monitors	Monitors	Spray Systems	Sprinklers	Sprinklers	Wild Fire	Deluge	Monitors	Hi-Exp	Deluge	Monitors	Foam-Makers	Monitors	Trucks	High Expansion				
Fluorine free foam																								
Enviro 3x3 Plus	3x6 - 6x6		Fluorine free	3ab	0	4ab	4ab	3ab	1ab	3ab	3	2ab	3ab	0	2ab	3ab	3ab	1ab	2ab	1ab	3ab	4ab		
Enviro 3x3 Ultra			Fluorine free	4ab	0	4ab	4ab	3ab	1ab	3ab	3	2ab	3ab	0	2ab	3ab	4ab	1ab	3ab	1ab	3ab	4ab		
Enviro Class A			USFS QPL listed	0	0	0	0	0	0	0	6	0	0	1	0	0	0	0	0	0	0	2		
Enviro USP			Premium grade	4a	0	4a	4a	4a	4a	3a	3a	4a	4a	2a	2a	4a	4a	4a	0	1a	3a	3a		
Enviro 3% ICAO		Yes	Cost effective	2a	0	2a	2a	2a	1a	1a	2	1a	4a	2a	1a	3a	3a	3a	5a	1a	5a	2ab	3a	
MB -20		Yes	Freeze protected	0	0	0	2a	0	0	0	3	0	0	4a	0	0	0	0	0	3a	0	0	3a	
LS EXP			Inside air foam	0	0	0	2a	0	0	0	3	0	0	6a	0	0	0	0	0	6a	0	3ab	4a	
LS xMax			Multi-approval HiEx	0	0	0	2a	0	0	0	3	0	3a	5a	0	3a	2a	3a	0	4a	0	2ab	4a	
Trainer E-lite			Training foam	Fomtec Trainer E-Lite has been designed to be applied solely as a training foam and should not be used as fire fighting foam for life saving.																				
Filmforming foam																								
AFFF 3% A	1% - 6%	Yes	Cost effective	1a*	0	3a*	3a*	1a	1a	1a	3	1	1	0	1	3	1a*	3a*	1	0	1	1ab	1a	
AFFF 3%	1% - 6%	Yes	Average performance	3a	2a	4a	4a	3a*	2a*	2a*	3	3*	2*	0	1	4	4a	4a	2	0	3	3ab	3a	
AFFF 1% Ultra LT	1% - 6%	Yes	UL and FM approved	6a	4a	6a	6a	6a	6a	6a	3	6	5	0	6	6	6a	6a	5	0	5	5ab	5a	
AFFF 3% Ultra	1% - 6%	Yes	UL listed	4a	3a	4a	5a	4a	2	2	3	2	4	0	2	4	5a	5a	4	0	5	5ab	5a	
AFFF 3% Ultra LT	1% - 6%	Yes	Multi-listed	5a	3a	5a	5a	5a	5a	5a	3	5	5	0	5	5	5a	5a	5	0	5	5ab	5a	
AFFF 3% S			UL and FM approved	6a	4a	6a	6a	6a	6a	6a	3	6	4	0	6	6	6a	6a	4	0	5	5ab	5a	
AFFF 3% ICAO	1% - 6%	Yes	ICAO approved	4a	3a	4a	4a	4a	3a	3a	3	4	5	0	3	4	4a	4a	6	0	6	5ab	5	
AFFF 3% M			MilSpec approved	5a	5a	6a	6a	5a	6a	6a	3	6	6	0	6	6	6	6	6	0	6	6ab	6a	
ARC 3x3	1x3 - 3x6	Yes	Cost effective	3ab	3a	4ab	4ab	3ab	2ab	2ab	3	2	4	0	2ab	4ab	4ab	4ab	1	2ab	3ab	5ab	4ab	
ARC 3x3 Ultra	1x3 - 3x6	Yes	UL listed	4ab	3a	4ab	4ab	4ab	2ab	2ab	3	3	4	0	3ab	4ab	4ab	4ab	1	2ab	3ab	4ab	5ab	
ARC 3x3 S			UL and FM approved	6ab	4a	6ab	6ab	6ab	6ab	6ab	3	6	6	0	6ab	6ab	6ab	6ab	3	3ab	3ab	4ab	6ab	
ARC 3x3 NV	1x1		High fluidity	4ab	3a	4ab	4ab	3ab	2ab	2ab	3	3	5	0	3ab	5ab	4ab	4ab	3	1ab	3ab	4ab	5ab	
LS aMax			HiEx AR	4ab	1a	6ab	6ab	4ab	2ab	2ab	3	2	3	6	2	3	4ab	4ab	6	4	6ab	4ab	5ab	
P 3%	6%		Cost effective, fluorine free	3a	2a	2a	2a	0	0	0	0	0	0	0	0	2a	2a	0	0	0	4ab	3a		
FP 3%	6%		Cost effective	4a	4a	4a	3a	0	0	0	0	0	0	0	1a	3a	3a	3a	0	0	0	4ab	3a	
FP 3% UL	6%		Premium grade	5a	5a	4a	3a	0	0	0	0	0	2	0	1a	3a	4a	4a	0	0	0	4ab	4a	
FFFP 3%	6%		Cost effective	4a	4a	4a	3a	2a	2a	2a	0	2	4	0	2a	4a	4a	4a	4a	0	4a	3ab	5a	
FFFP 3% ICAO	6%		ICAO approved	4a	4a	4a	3a	2a	2a	2a	0	2	4	0	2a	4a	4a	4a	4a	0	4a	3ab	5a	
FFFP ARC 3x3	3x6		Cost effective	4ab	4a	3ab	4ab	2ab	2ab	2ab	0	2	4	0	2ab	4ab	4ab	4ab	0	0	2ab	3ab	5ab	
FFFP ARC 3x3 NV Avalanche			UL-listed	5ab	4a	5ab	5ab	2ab	2ab	2ab	0	2	5	0	2ab	4ab	5ab	5ab	3ab	0	3ab	5ab	5ab	

0	Not Suitable
1	Reduced performance
2	Min- acceptabel performance
3/4	Standard performance
5/6	Best performance

a = Hydrocarbons
b = Polar solvents

* Increase application rate = better performance

** Aspirated foam sprinkler

This is just a selection of our products. Visit our webpage for the full range www.fomtec.com



Dafo Fomtec AB P.O Box 683 SE-135 26 Tyresö Sweden
Phone: +46 8 506 405 66 Fax: +46 8 506 405 29
E-mail: info@fomtec.com Web: www.fomtec.com