



GASEOUS SUPPRESSION



GASEOUS
SUPPRESSION



WATER
SUPPRESSION



FOAM
SUPPRESSION



EXPLOSION
PROTECTION



FIRE
DETECTION



MILITARY
& DEFENCE



SPECIAL
APPLICATIONS



SUPPORT
SERVICES

PROINERT™

PROINERT™ is a clean agent fire extinguishing system using inert gas (IG55, IG541, IG100 or IG01) and is used in total flooding systems.

PROINERT™ has become widely accepted as the best performing, most cost effective, and environmentally friendly inert gaseous suppression system, offering extended hold times and great flexibility in design.

PROINERT™ is an ideal choice for a wide variety of industries and applications, suitable for facilities such as computer rooms / data centres, telecommunications facilities, and the like. PROINERT™ is unique in that it utilises a pressure regulating discharge valve which produces lower discharge pressures which also translates into lower costs all around, resulting in savings with pipe work, venting area and cylinder storage.

NOVEC 1230™

Novec 1230™ (C6 Fluoroketone) Fire Protection Fluid is a second generation clean agent gaseous suppression system. Novec 1230™ is a chemical agent used primarily in total flooding systems and is the most environmentally benign of all the chemical agents. Novec 1230™ is used in applications ranging from computer rooms / data centres, telecommunications facilities, switch gear, high-tech medical applications, and pleasure craft to priceless works of art and historic landmarks. Novec 1230™ is truly a real breakthrough in clean agent technology, a liquid at room temperature, it looks, feels and acts like water allowing flexibility in recharge procedures. In particular our higher storage pressure at 34.5 bar (500psi) allows the greatest flexibility for the system design.

FM-200®

FM-200® (HFC-227ea) Clean Agent fire extinguishing systems are the most widely used of all the halocarbon gaseous agents, and is universally accepted as the best agent used to replace Halon 1301.

FM-200® is a chemical agent used primarily in total flooding systems and has been installed in over 200,000 systems worldwide.

FM-200® fire suppression systems protect everything from computer rooms / data centres, telecommunications facilities, and switch gear to military vehicles, high tech medical applications, and pleasure craft to priceless works of art and historic landmarks around the world.

CARBON DIOXIDE

Carbon dioxide (CO₂) is a colourless, odourless, electrically non-conductive gas that is highly efficient. CO₂ has been used as an extinguishing agent for more than 80 years and was the first gaseous agent used for fire suppression. It can be used for local application and total flooding systems and is suited to a wide range of applications and hazards. CO₂ has a high rate of expansion enabling rapid fire suppression and provides a heavy blanket of gas that reduces the oxygen level to a point where combustion cannot occur. CO₂ is not approved for occupied spaces unless fitted with a safety interlock device to prevent the system from discharging when the enclosure is occupied. Like all fire protection systems, CO₂ systems should only be designed by experienced engineers. CO₂ can be used to protect applications such as generator sets, turbines, switch gear, flammable liquid baths, electrical enclosures and transformers.



GASEOUS SUPPRESSION



“EVERY SOLUTION FOR YOUR SPECIAL HAZARD PROBLEMS”

“We will help analyse your needs to determine the most suitable fire suppression agent for your application and your business”

Gaseous Fire Suppression or Clean Agent fire suppression are terms used to describe gases used to extinguish fires. Typically gaseous agents work in one of two ways, the first is to inert the atmosphere reducing oxygen levels to a level that will no longer sustain combustion, the second is to react chemically with the fire absorbing heat and causing the chain reaction of combustion to break down.

Clean Agent fire extinguishing systems are typically used to protect three dimensional enclosures containing high value assets that are vital for business continuity, and assets that cannot be protected by traditional sprinkler systems due to the potential for water damage. Typical examples of system applications include telecommunication facilities, clean rooms, data processing centres and museums.

Regulatory authorities in Australia govern the use of gaseous agents, systems and hardware. Compliant systems are subject to testing and an approval process that takes into account agent importation licenses, pressure vessel approvals, system performance,

reliability, human safety, environmental impacts etc. Clean Agent fire suppression products supplied by Fire Protection Technologies are environmentally friendly and cost effective solutions and meet all regulatory authority requirements.

Where easy clean-up, minimal down time, business continuity and people safety are overriding factors, you need to consider clean agent gaseous suppression for your fire protection needs. We will help analyse your facility and operations to determine the most suitable fire suppression agent for your application and your business.

A fire is DEVASTATING!
Conventional fire systems provide personal and structural protection. But when it comes to high value assets and irreplaceable items, water can be just as damaging as any fire!



OUR COMMITMENT *“To provide our customers with the best possible service, the highest quality products and the right solution for your needs”*

PRODUCTS:

Gaseous Suppression



Inert Gas (IG-01, IG-55, IG-100, IG-541)
Novec 1230™ Fluid (FK-5-1-12)
FM-200® / NAF S 227 (HFC-227ea.)
Ecaro 125® / NAF S 125 (HFC-125)
Carbon Dioxide (CO₂)
Hybrid Systems (N₂ / Water)
Pressure Relief Vents
Enclosure Integrity Testing Equipment
Pipe & Fittings

Water Suppression



Water Mist - High Pressure
Water Mist - Intermediate Pressure
Water Mist - Low Pressure
Hybrid Systems (Water / N₂)
Monitors & Delivery Systems
High Speed Deluge

Foam Suppression



Foam Concentrates
Foam Proportioning
Foam Delivery Systems
Foam Concentrate Testing

Explosion Protection



Explosion Suppression
Explosion Isolation
Explosion Vents & Pressure Relief
Spark Suppression
Explosibility Testing

Fire Detection



Linear Heat Detection - Digital
Linear Heat Detection - Fibre Optic
Linear Heat Detection - Micro Chip
Flame Detection
Video Imaging Detection
Spark Detection
Control & Indicating Equipment
Thermal Imaging Detection
Aspirating Smoke Detection

Military & Defence



Military Vehicles
Naval Vessels

Special Applications



Micro Environment
Oxygen Reduction
Kitchen Protection Systems
Dry Chemical
Vehicle Systems
Compressed Air Foam
Marine & Offshore
Vapour Mitigation

Support Services



Design / Engineering
Technical Support
Services & Testing

Australia

Head Office

Unit 1, 251 Ferntree Gully Road
Mt Waverley VIC 3149
Australia

Brisbane Office

Unit 7, 93 Rivergate Place
Murarrie QLD 4172
Australia

Perth Office

18 – 20 Ledger Road
Balcatta WA 6021
Australia

Sydney Office

Unit 5, 11 Reliance drive Tuggerah
NSW 2259
Australia

1300 742 296

www.fire-protection.com.au

New Zealand

Auckland Office

Unit 2, 13 Airborne Road
Albany North Shore 0632
New Zealand
www.fire-protection.net.nz

South East Asia

Regional Head Office

14 Gul Ave,
Singapore, 629657
www.fire-protection.com.sg



‘Every solution for your special hazard problems’